

## Works Cited

- "504 Plan FAQ." Cleveland Heights Teacher Union. 12 Feb. 2007  
<<http://www.chtu.org/504.html>>.
- 8 Magic Keys: Developing Successful Interventions for Students with FAS.  
SAMHSA.GOV, 1997.
- Ball, Susan. "Teacher Training Helps Identify Students with FASD." Substance Abuse  
Funding News. 23 June 2004. 13 Feb. 2007 <[www.cdpublications.com](http://www.cdpublications.com)>.
- Bertrand, Jacquelyn Phd, R. Louise Dsn Floyd, Mary Kate Mph Weber, Jose Md  
Cordero, and Coleen Phd Boyle. Guidelines for Identifying and Referring  
Persons with Fetal Alcohol Syndrome. Centers for Disease Control and  
Prevention. National Center on Birth Defects and Developmental Disabilities,  
2005.
- Double Arc Ohio. 9 Feb. 2007 <<http://www.doublearc.org/>>.
- "Educating Families and Professionals." Center for Disease Control and Prevention. 12  
Feb. 2007 <[http://0-  
www.cdc.gov.mill1.sjlibrary.org/NCBDDD/fas/awareness.htm](http://0-www.cdc.gov.mill1.sjlibrary.org/NCBDDD/fas/awareness.htm)>.
- "FAS Community Projects." Michigan Department of Community Health. Jan. 2006. 9  
Feb. 2007  
<[http://www.michigan.gov/documents/Community\\_Projects\\_FY06\\_152192\\_7.pdf](http://www.michigan.gov/documents/Community_Projects_FY06_152192_7.pdf)  
>.
- FAS Community Resource Center. 20 Dec. 2006. 9 Feb. 2007 <[http://www.come-  
over.to/FASCRC/](http://www.come-over.to/FASCRC/)>.
- "FAS Facial Features." FAS Prevention Network Washington. 21 Feb. 2007  
<<http://depts.washington.edu/fasdpn/htmls/fas-face.htm>>.
- "Fetal Alcohol Syndrome Program." Michigan Department of Community Health. 9 Feb.  
2007 <[http://www.michigan.gov/mdch/0,1607,7-132-2942\\_4911\\_4912\\_21220-  
53331--,00.html](http://www.michigan.gov/mdch/0,1607,7-132-2942_4911_4912_21220-53331--,00.html)>.
- "How Alcohol Exposure Affects Behavior." FAS Community Resource Center. 13 Feb.  
2007 <<http://come-over.to/FASCRC/#behavior>>.
- "How to Minimize Screaming (Yours, Not Theirs)." Come Over to These Exciting  
Websites. 12 Feb. 2007 <<http://www.come-over.to/FAS/screams.htm>>.
- "IEP's Vs 504 Plans." Sevier County Tennessee Special Education. 12 Feb. 2007  
<<http://www.slc.sevier.org/iepv504.htm>>.

Kellerman, Teresa. "Behavior Environmental Adaptation Model." FASSTAR Enterprises. 2004. 9 Feb. 2007 <<http://www.come-over.to/FAS/brochures/BEAM.doc>>.

Kersey, Katharine Phd C. "Learning How to Be Good Parents and Teachers." FASSTAR Enterprises. 9 Feb. 2007 <<http://www.come-over.to/fasstar/Kersey.htm>>.

Mauro, Terri. "Behavior Intervention Plan." About: Parenting Special Needs. 12 Feb. 2007 <<http://specialchildren.about.com/od/behavioranddiscipline/g/BIP.htm>>.

Mauro, Terri. "Functional Behavioral Assessment." About: Parenting Special Needs. 12 Feb. 2007 <<http://specialchildren.about.com/od/fba/g/FBA.htm>>.

"MCFARES." COMMUNITY ASSESSMENT, REFERRAL AND EDUCATION (CARE). 9 Feb. 2007 <<http://www.careofmacomb.com/MCFARES.htm>>.

Ory, Nathan E. "Who Has to Change? Trying Their Hardest, Doing Their Best!" FASD Connections. 12 Feb. 2007 <[http://www.fasdconnections.ca/HTMLobj-255/who\\_has\\_to\\_change\\_-\\_nathan\\_ory.pdf](http://www.fasdconnections.ca/HTMLobj-255/who_has_to_change_-_nathan_ory.pdf)>.

Overlapping Behavioral Characteristics & Related Mental Health Diagnoses in Children. Hennepin County, MN: Adoption Training, 2006.

"Providing an Alternative Paradigm for Understanding Behaviors." Fetal Alcohol Syndrome Consultation, Education and Training Services. 12 Feb. 2007 <<http://www.fascets.org/index.html>>.

"Reach to Teach: Educating Elementary and Middle School Children with Fetal Alcohol Spectrum Disorders." Substance Abuse and Mental Health Services Administration. 11 Jan. 2007. 9 Feb. 2007 <[http://fasdcenter.samhsa.gov/documents/Reach\\_To\\_Teach\\_Final\\_011107.pdf](http://fasdcenter.samhsa.gov/documents/Reach_To_Teach_Final_011107.pdf)>.

"Sharing Stories, Finding Hope: a Curriculum for Families & Others Affected by FAS & Neurodevelopmental Disorder." ARC. 9 Feb. 2007 <<http://www.thearc.org/fasproject/thecurriculum.htm>>.

Substance Abuse and Mental Health Services Administration. 9 Feb. 2007 <<http://www.fasdcenter.samhsa.gov/index.cfm>>.

"Symptoms and Behavior." Wrong Diagnosis See for Yourself. 4 Dec. 2006 <[http://www.wrongdiagnosis.com/f/fetal\\_alcohol\\_syndrome/symptoms.htm](http://www.wrongdiagnosis.com/f/fetal_alcohol_syndrome/symptoms.htm)>.

"Teaching Students with FAS." BC Ministry of Education. 9 Feb. 2007 <<http://www.bced.gov.bc.ca/specialed/fas/>>.

"Teaching Students with Fetal Alcohol Spectrum Disorder: Building Strengths, Creating Hope." Alberta Education. 2004. 9 Feb. 2007  
<[http://www.education.gov.ab.ca/k\\_12/specialneeds/fasd.asp](http://www.education.gov.ab.ca/k_12/specialneeds/fasd.asp)>.

"The Visible Kid with the Invisible Disability." FASSTAR Enterprises. 9 Feb. 2007  
<<http://www.fasstar.com/>>.

"What Teachers Need to Know About FASD." National Organization of Fetal Alcohol Syndrome. 12 Feb. 2007 <<http://www.nofas.org/educator/>>.

"What You Need to Know." Substance Abuse and Mental Health Services Administration. 9 Feb. 2007  
<[http://fasdcenter.samhsa.gov/documents/WYNK\\_Numbers.pdf](http://fasdcenter.samhsa.gov/documents/WYNK_Numbers.pdf)>.

Have a **healthy** baby.  
 Be an **alcohol-free** mother-to-be.



For Information call:  
 SAMHSA's FASD Center for Excellence  
**Information Resource Center**  
**(866) STOP-FAS**



DEPARTMENT OF HEALTH AND HUMAN SERVICES  
 Substance Abuse and Mental Health Services Administration  
 Center for Substance Abuse Prevention  
[www.samhsa.gov](http://www.samhsa.gov)

100% Parenting is Possible  
 www.100percentparenting.com

# When You're Pregnant, Your Baby Drinks What You Drink.

Have a  
**healthy** baby.  
Be an  
**alcohol-free**  
mother-to-be.

## Even beer and wine can hurt your unborn child.

When you drink a glass of beer, wine, or a Wine cooler, it goes into your bloodstream and passes to your baby. And your baby gets just as much alcohol as when you have a mixed drink with hard liquor.


The best time to stop drinking is when you decide to get pregnant. If you're already pregnant and stop now, you can still help your baby.

It's the same risk for every pregnant women. Every drink is one too many.

For information call:

**CARE**

**(586) 541-0033 x 222**



DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Substance Abuse and Mental Health Services Administration  
Center for Substance Abuse Prevention  
[www.samhsa.gov](http://www.samhsa.gov)

**FASD** Partnership to Prevent  
Fetal Alcohol Spectrum Disorders  
[Prevention.samhsa.gov/faspartners/](http://Prevention.samhsa.gov/faspartners/)